PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3)

1. - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier:

Trade name:	Pest Free Zone Grain Mouse Bait
Chemical name :	Bromadiolone 0.005 % w/w
Authorisation number:	IE/BPA 70283

1.2 Relevant identified uses of the substance or mixture and uses advised against Formulated bait to control rodent infestation

1.3 Details of the supplier of the safety data sheet

Manufacturer:	Pied Piper Chemicals Ltd
	Ballinure, Thurles,
	Co. Tipperary - IRELAND
	Tel: 052 9156422 Fax: 052 9156613.
	e-mail: pied.piper1@hotmail.com
Distributor:	McLoughlin RS
	Unit 5, Northern Cross Business Park,
	North Road, Dublin 11 - IRELAND
	Tel: 01 8239200 Fax: 01 82392222.
	e-mail: info@mcl.ie

1.4 Emergency telephone number:

The National Poisons Information Centre, Beaumont Hospital, Dublin (Ireland): 01 - 8092166

2.- HAZARDS IDENTIFICATION

Anticoagulant product derived from coumarin that inhibits vitamin K metabolism and blocks prothrombin formation.

2.1 Classification of the substance or mixture

Regulation (EC) nº 1272/2008 [UE-GHS/CLP]: Classification Not classified

Directive UE 67/584/CE and Directive 1999/45/CE: Classification

Not classified Harmful effects will be described in 9 and 12 sections.

2.2 Label elements

Labeling according to Re	egulation (EC) nº 1272/2008 [UE-GHS/CLP]
Hazard pictograms:	N.A.
Warning word(s):	N.A.
Hazard statements:	N.A.
Precautionary statement	S:
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves and protective clothing
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Labeling according to Di	rective UE 67/584/CE and Directive 1999/45/CE
Hazard pictograms:	N.A.
Symbols:	N.A.
Indications of danger:	N A

Symbols:		N.A.	
Indications of dar	nger:	N.A.	
Risk Phrases:		N.A.	
Safety Phrases:			
S2	Keep	out of the reach	of children
S12	Kaan	away from food	drink and a

- S13 Keep away from food, drink and animal foodstuffs
- S37 Wear suitable gloves
- S46 If swallowed, seek medical advice immediately and show this container or label

2.3 Other hazards

None

PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3)

Substance:	Bromadiolone			
IUPAC Name :	[3-{ 3-(4'-bromobiphe	enyl-4-yl)-3-hydroxy-1-phen	ylpropyl-4-hydroxycoumarin]	
No. CAS	No. CE	Clas. 67/548/CE	Clasificación CLP	Concentration
28772-56-7	249-205-9	T+; N R26/27/28; R48/23/24/25; R50-53;	Acute Tox.:1; H300, H310, H Tox. Reproduction:1A; H36 STOT RE 1; H37 Acute Aquatic:1; H40	60D 72 0,005 % ± 10 %
		R61	Chronic Aquatic: 1; H41	
	Denatonium benzoa	ate	Chronic Aquatic: 1; H41	0
Sustancia: IUPAC Name : : No. CAS		ate	<i>,</i>	0

Page 2 of 7

IUPAC Name : 1,3-	propanediol			
No. CAS	No. CE	Clas. 67/548/CE	Classification CLP	Concentration
57-55-6	200-338-0	N.A.	Not classified	2, 00%

Othersubstances	:			
No. CAS	No. CE	No. Índice	Classification CLP	Concentration
			Not classified	Up to 100%

4.- FIRSTS AID MEASURES

4.1. Description of first aid measures

Remove the affected person/s from the contaminated zone and seek medical advice. *After skin contact:* Wash the affected areas with plenty of water and soap. Take off the contaminated clothes. *After eye contact:* Flush eyes with plenty of water for several minutes. Seek medical attention. *After ingestion:* Wash out mouth with water. If swallowed, DO NOT induces vomiting. Maintain body temperature; breath control. Seek immediate medical attention and show the label an safety sheet. *After inhalation:* Bring person to open air.

4.2. Most important symptoms and effects, both acute and delayed

Substance is an anticoagulant and the risk is a potential internal haemorrhage. Could be absorbed in contact with the skin and cause internal haemorrhage. If swallowed serious risk of internal haemorrhage. Other symptoms: pallor, abdominal or back pain.

4.3. Indication of any immediate medical attention and special treatment needed

As a rule, symptomatic treatment for compensating the observed effects. Stomach-wash if haemorrhage symptoms are not observed. In the event of haemorrhages, inject vitamin K1, control coagulation time, and if necessary give fresh blood transfer.

Antidote: Vitamin K1 (Konakion ®).

PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3)

5. - FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Dry chemical, foam and CO₂ are to be used. Avoid the use of water jets. Water can be used to refresh contiguous zones, objects, recipients and containers exposed to heat.

5.2. Special hazards arising from the substance or mixture

Toxic smoke and fumes can form due to the combustion or exposure to heat.

5.3. Advice for fire-fighters

Wear usual fire protection and self contained breathing equipment. AVOID INHALATION OF FUMES AND SMOKE. FIRES PRODUCED IN CONFINED SPACES SHOULDS BE DEALT WITH BY QUALIFIED PERSONEL WEARING CERTIFIED BREATHING EQUPMENT.

6. - ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Do not inhale the powder that could be generated. Stay upwind from the spillage. Be protected adequately using aprons, gloves, eye protection and dust filter mask. (See section 8).

6.2. Environmental precautions

Avoid that the product reaches drains, water drains, and penetrates in the soil.

In the case of spillage in water, use adequate barrier devices to avoid the dispersion of the product. Contact the competent authorities if situation cannot be controlled.

6.3. Methods and material for containment and cleaning up

Contain the spilled product. Avoid spillage of the product into drains or riverbeds, in order to minimize the risk of pollution.

Collect the spillage with a spade and deposit it in a secure and closed container, mentioning the relative risks of the product and deliver it to a company duly authorized for its destruction. Incineration is the recommended treatment.

6.4. Reference to other sections

See sections 8 and 13.

7. - HANDLING AND STORAGE

7.1. Precautions for safe handling

Insure correct ventilation. Avoid inhaling the smoke, vapours or dust generated during handling. Avoid extended or frequent contact of the product with the skin. Use special protective gloves for chemical products (nitrile). Wash the gloves with plenty water and soap after handling. Wash hands after each utilization. Moisturizing creams after washing hands can avoid skin dryness and chapping.

Avoid contact with the eyes. In the event of risk, use adequate ocular protection.

Personal hygiene after work.

7.2. Conditions for safe storage, including any incompatibilities

Store in fresh and dry place. Keep away from sources of ignition and heat.

Keep locked up and out of the reach of children and domestic animals.

Keep away from foods and drinks.

Keep in its original packing.

Packing material to avoid: None.

7.3. Specific end use(s)

Formulated bait to control rodent infestation

Page 3 of 7

PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3)

Page 4 of 7 8. - EXPOSURE CONTROLS / PERSONAL PROTECTION 8.1. Control parameters AOEL sub chronic / chronic: 0.0012 µg/kg bw /day (*) AOEL acute: 0.0023 µg/kg bw /day (*) (*) Referred to active ingredient Bromadiolone 8.2. Exposure controls Technical controls: Handle with appropriate hygiene precautions and follow the instructions. Wash hands during breaks and at the end of workday. Personal protection: Respiratory protection: Respiratory protection equipment is not necessary when the concentration of dust, vapour and smokes is maintained at a correct level, but it is recommended. The use of respiratory equipment must be done according to the instructions of the manufacturer and to the regulation and rules for its utilization. Filter P2 (for solid and liquid particles, DIN 3181). Hand protection: Use gloves to prevent skin contact. Eye protection: Use safety goggles or face shield when eye contact can occur. Skin protection: Use wear-once-only clothes and eliminate them when contaminated. Dry wash and starch are recommended. Industrial hygiene: Eye fountain and washing facilities in the working area. Personal hygiene after work. 9.- PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties a - Appearance: Red or Blue Cereal or granulated Baits b - Odour: Aromatic c - Odour threshold; N.A. d - pH: N.A. e - Melting point; N.A. f - Initial boiling point and boiling range; N.A. q - Flash point; N.A. h - Evaporation rate; N.A. i - Flammability (solid, gas); N.A. j - Upper/lower flammability or explosive limits; N.A. k - Vapour pressure; N.A. I - Vapour density; N.A. m - Relative density; 0.6-0,7 g/cm³ n - Solubility(ies) at 20 ° C.; N.A. o - Partition coefficient: n-octanol/water: Log P 4.10 at pH 7 (*) p - Auto-ignition temperature; N.A. q - Decomposition temperature; N.A. r - Viscosity; NΑ s - Explosive properties; Not explosive t - Oxidising properties. Not highly oxidizing (*) Referred to active ingredient Bromadiolone 9.2. Other information None

PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3) Page 5 of 7 **10. - STABILITY AND REACTIVITY** 10.1 Reactivity None 10.2 Chemical stability Stable at normal conditions 10.3 Possibility of hazardous reactions None 10.4 Conditions to avoid Exposure to high temperatures 10.5 Incompatible materials Strong oxidant agents 10.6 Hazardous decomposition products Thermal decomposition can generate toxic compounds **11.- TOXICOLOGICAL INFORMATION** 11.1. Information on toxicological effects a - Acute toxicity: Oral: Oral LD₅₀ Rat: 1.125 mg/kg Oral LD₅₀ Rabbit: 1.0 mg/kg Oral LD₅₀ mg/kg Dog: 8.1 Cat: Oral LD₅₀ 25.0 mg/kg (*) Dermal: Rabbit Dermal LD₅₀ 1.71 mg/kg Inhalation: Rats Inhalation LC50 0.43 μ g/L (males and females combined) (*) (*) Referred to active ingredient Bromadiolone b - Skin corrosion/irritation; Not irritant c - Serious eye damage/irritation; Not irritant d - Respiratory or skin sensitisation; Not sensitizer (Buehler test) e - Germ cell mutagenicity; N.A. f - Carcinogenicity; N.A. g - Reproductive toxicity; N.A. h - STOT-single exposure; N.A. *i* - STOT-repeated exposure; N.A. j - Aspiration hazard. N.A. **12- ECOLOGICAL INFORMATION** 12.1. Toxicity Aquatic toxicity: Oncorhynchus mykiss LC50 2.86 mg/L (96 h.) (*) Daphnia magna EC₅₀ 5.79 mg/L (48 h.) Rainbow trout: mg/L (96 h.) LC_{50} 1.4 (*) Pseudokirchneriella subcapitata 1.14 mg/L (72 h.) E_rC_{50} (*) 132.8 mg/L (extrapolated) (3 h.) (*) Activated sludge EC_{50}

Effects on earthworms or other soil	non-target orgar	nisms		
Eisenia fetida	LC50	918	mg/L wet soil - 13 days	(*)
<u>Birds toxicity:</u>				
Japanese quail	LD ₅₀	134	mg/Kg.	(*)
Bobwhite quail)	LD ₅₀	138	mg/Kg.	(*)

(*) Referred to active ingredient Bromadiolone

PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3)

12.2. Persistence and degradability

Degradation in soil is slow.

Aerobic degradation: half life = 53 days Anaerobic degradation: half life = 60 days **12.3. Bioaccumulative potential** N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment Considered as PBT substance.

12.6. Other adverse effects

N.A.

13 - DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product:

In the EEC there is not a consensus on the regulation for the elimination of chemical residues. Their elimination is regulated by local laws and arrangements. We request contact with the competent authority so as to be informed about each particular case.

Containers:

Their elimination must be accomplished according to the local official arrangements. The same measures should be adopted for the contaminated containers as for the product.

Incineration is the preferred method.

14.- TRANSPORT INFORMATION

14.1. UN number

Not Classified

14.2. UN proper shipping name

Coumarin derivative pesticide, liquid, toxic.

14.3. Transport hazard class(es)Rail and road transport ADR/RID:Not ClassifiedSea shipment:Not ClassifiedAir shipment:Not Classified

14.4. Packing group

Rail and road transport ADR/RID: N	lot Classified
Sea shipment: N	lot Classified
Air shipment: N	lot Classified

14.5. Environmental hazards

Rail and road transport ADR/RID: None Sea shipment: None

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N.A.

15.- REGULATORY INFORMATION.

MSDS was done according to: Regulation EC Nº 1907/2006 (Reach), and Regulation EC Nº 453/2010 Clasification and labelling according to: Page 6 of 7

SAFETY DATA SHEET PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005% PEST FREE ZONE GRAIN MOUSE BAIT / BROMADIOLONE 0.005%

Issue date: 02.01.2016 (v13.3) Page 7 of 7 Directive 67/548/CE (Classification, bulking and labelling of the dangerous substances) and next modified. Directive 1999/45/CE Regulation EC Nº1272/2008 (CLP) and modifications 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Directive 98/8/CE (Biocides) Regulation (EU) 528/2012 Sanco /10203/2011 rev 4 CAR Bromadiolone 15.2. Chemical safety assessment Not available **16. - OTHER INFORMATION** Track Changes: Adaptation to the requirements of Regulation (EC) No 453/2010. Modification Classification and labelling in agreement to Assessment Report of Bromadiolone Modified paragraphs 2, 3,14 and 15, minor corrections other sections. Modification according to the biocidal product authorisations (RMS: Spain), November 2013 **Abbreviations** N.A. - Not available PG - Packing Group / Grupoembalaje PI - PackingInstructions / Instrucciones de embalaje SP - SpecialProvisions / Disposiciones Especiales

The data supplied on this safety data sheet is based on our current knowledge and on the current ECC regulations, and describes only the safety measures in the managing of the product. No warranty, express o implied is made.